Contents

The Journal of Clinical Investigation
July 1994, Volume 94, Number 1

Editorials

A question of balance: ups and downs of mucosal inflammation. *M. F. Kagnoff* 1

AGEing growth factors: a role in diabetic vascular disease? *J. W. Baynes* 2

Interaction of the seed and the soil. *A. B. Deisseroth and J. Koenig* . . . 3

Perspectives

Parasitism by the "slow" bacterium *Helicobacter pylori* leads to altered gastric homeostasis and neoplasia. *M. J. Blaser and J. Parsonnet* . . . 4

Regular Articles

Identification and characterization of a receptor for tissue ferritin on activated rat lipocytes. *G. A. Ramm, R. S. Britton, R. O'Neill, and B. R. Bacon* 9

Regulation of acetylcholine receptor α subunit variants in human myasthenia gravis. Quantification of steady-state levels of messenger RNA in muscle biopsy using the polymerase chain reaction. *T. Guyon, P. Levasseur, F. Truffault, C. Cottin, C. Gaud, and S. Berrih-Aknin* . . 16

Changes in cartilage metabolism in arthritis are reflected by altered serum and synovial fluid levels of the cartilage proteoglycan aggrecan. Implications for pathogenesis. *A. R. Poole, M. Ionescu, A. Swan, and P. A. Dieppe* 25

Distinct roles of erythropoietin, insulin-like growth factor I, and stem cell factor in the development of erythroid progenitor cells. *K. Muta, S. B. Krantz, M. C. Bondurant, and A. Wickrema* 34

Induction of cell cycle progression by hepatitis B virus HBx gene expression in quiescent mouse fibroblasts. *K. Koike, K. Moriya, H. Yotsuyanagi, S. Iino, and K. Kurokawa* 44

Expression of platelet-derived growth factor receptors in normal and diseased human kidney. An immunohistochemistry and in situ hybridization study. *L. Gesualdo, S. Di Paolo, S. Milani, M. Pinzani, C. Grappone, E. Ranieri, G. Pannarale, and F. P. Schena* 50

Absorption of pathogenic autoantibodies by the extracellular domain of pemphigus vulgaris antigen (Dsg3) produced by baculovirus. *M. Amagai, T. Hashimoto, N. Shimizu, and T. Nishikawa* 59

Extracellular matrix modulates epidermal growth factor receptor activation in rat glomerular epithelial cells. *A. V. Cybulsky, A. J. McTavish, and M.-D. Cyr* 68

Distinct populations of basal keratinocytes express stromelysin-1 and stromelysin-2 in chronic wounds. *U. K. Saarialho-Kere, A. P. Pentland, H. Birkedal-Hansen, W. C. Parks, and H. G. Welgus* 79

Pseudo-acylceramide with linoleic acid produces selective recovery of diminished cutaneous barrier function in essential fatty acid–deficient rats and has an inhibitory effect on epidermal hyperplasia. *G. Imokawa, Y. Yada, K. Higuchi, M. Okuda, Y. Ohashi, and A. Kawamata* 89

Interleukin 10 induces B lymphocytes from IgA-deficient patients to secrete IgA. *F. Brière, J.-M. Bridon, D. Chevet, G. Souillet, F. Bienvenu, C. Guret, H. Martinez-Valdez, and J. Banchereau* 97

Homologies between T cell receptor junctional sequences unique to multiple sclerosis and T cell mediating experimental allergic encephalomyelitis. *M. Allegretta, R. J. Albertini, M. D. Howell, L. R. Smith, R. Martin, H. F. McFarland, S. Sriram, S. Brostoff, and L. Steinman* 105

Nonenzymatic glycosylation in vitro and in bovine endothelial cells alters basic fibroblast growth factor activity. A model for intracellular glycosylation in diabetes. *I. Giardino, D. Edelstein, and M. Brownlee* . . 110

Cell type-specific gene expression in the neuroendocrine system. A neuroendocrine-specific regulatory element in the promoter of chromogranin A, a ubiquitous secretory granule core protein. *H. Wu, D. J. Rozansky, N. J. G. Webster, and D. T. O'Connor* 118

Quantitative differences in biosynthesis and extracellular deposition of fibrillin in cultured fibroblasts distinguish five groups of Marfan syndrome patients and suggest distinct pathogenetic mechanisms. *T. Aoyama, U. Francke, H. C. Dietz, and H. Furthmayr* 130

Negative feedback regulation of pulsatile growth hormone secretion by insulin-like growth factor I. Involvement of hypothalamic somatostatin. *M. Bermann, C. A. Jaffe, W. Tsai, R. DeMott-Friberg, and A. L. Barkan* 138

Myelin in multiple sclerosis is developmentally immature. *M. A. Moscarello, D. D. Wood, C. Ackerley, and C. Boulias* 146

Inhibition of hypercholesterolemia-induced atherosclerosis in the nonhuman primate by probucol. I. Is the extent of atherosclerosis related to resistance of LDL to oxidation? *M. Sasahara, E. W. Raines, A. Chait, T. E. Carew, D. Steinberg, P. W. Wahl, and R. Ross* 155

Tumor necrosis factor-α inhibits stem cell factor–induced proliferation of human bone marrow progenitor cells in vitro. Role of p55 and p75 tumor necrosis factor receptors. *L. S. Rusten, E. B. Smeland, F. W. Jacobsen, E. Lien, W. Lesslauer, H. Loetscher, C. M. Dubois, and S. E. W. Jacobsen* 165

Mechanism of apical and basolateral Na^+-independent Cl^-/base exchange in the rabbit superficial proximal straight tubule. *I. Kurtz, G. Nagami, N. Yanagawa, L. Li, C. Emmons, and I. Lee* 173

The central role of chromatin in autoimmune responses to histones and DNA in systemic lupus erythematosus. *R. W. Burlingame, M. L. Boey, G. Starkebaum, and R. L. Rubin* 184

Effect of chronic ethanol feeding on glutathione and functional integrity of mitochondria in periportal and perivenous rat hepatocytes. *C. García-Ruiz, A. Morales, A. Ballesta, J. Rodés, N. Kaplowitz, and J. C. Fernández-Checa* 193

Characterization of dermal dendritic cells in psoriasis. Autostimulation of T lymphocytes and induction of Th1 type cytokines. *F. O. Nestle, L. A. Turka, and B. J. Nickoloff* 202

Alpha$_1$ adrenergic receptor–induced c-*fos* gene expression in rat aorta and cultured vascular smooth muscle cells. *M. Okazaki, Z.-W. Hu, M. Fujinaga, and B. B. Hoffman* 210

Coordinate pulsatile insulin secretion by chronic intraportally transplanted islets in the isolated perfused rat liver. *N. Pørksen, S. Munn, D. Ferguson, T. O'Brien, J. Veldhuis, and P. Butler* 219

Cystic fibrosis transmembrane conductance regulator mutations that disrupt nucleotide binding. *J. Logan, D. Hiestand, P. Daram, Z. Huang, D. D. Muccio, J. Hartman, B. Haley, W. J. Cook, and E. J. Sorscher* . . 228

Renin and renin mRNA in proximal tubules of the rat kidney. *M. Chen, M. P. Harris, D. Rose, A. Smart, X.-R. He, M. Kretzler, J. P. Briggs, and J. Schnermann* 237

Tumor necrosis factor-α–induced inhibition of phosphatidylcholine synthesis by human type II pneumocytes is partially mediated by prostaglandins. *J. Arias-Díaz, E. Vara, C. García, and J. L. Balibrea* . . 244

Interleukin-10 inhibits apoptotic cell death in infectious mononucleosis T cells. *K. Taga, J. Chretien, B. Cherney, L. Diaz, M. Brown, and G. Tosato* 251

Platelet factor 4 modulates the mitogenic activity of basic fibroblast growth factor. *J. B. Watson, S. B. Getzler, and D. F. Mosher* 261

Glycogen synthase: a putative locus for diet-induced hyperglycemia. *M. F. Seldin, D. Mott, D. Bhat, A. Petro, C. M. Kuhn, S. F. Kingsmore, C. Bogardus, E. Opara, M. N. Feinglos, and R. S. Surwit* 269

Biphasic induction of immediate early gene expression accompanies activity-dependent angiogenesis and myofiber remodeling of rabbit skeletal muscle. *J. B. Michel, G. A. Ordway, J. A. Richardson, and R. S. Williams* 277

Maternal immunization of mice with group B streptococcal type III polysaccharide-beta C protein conjugate elicits protective antibody to multiple serotypes. *L. C Madoff, L. C. Paoletti, J. Y. Tai, and D. L. Kasper* 286

Growth hormone promotes human T cell adhesion and migration to both human and murine matrix proteins in vitro and directly promotes xenogeneic engraftment. *D. D. Taub, G. Tsarfaty, A. R. Lloyd, S. K. Durum, D. L. Longo, and W. J. Murphy* 293

Increased angiotensin-I converting enzyme gene expression in the failing human heart. Quantification by competitive RNA polymerase chain reaction. *R. Studer, H. Reinecke, B. Müller, J. Holtz, H. Just, and H. Drexler* 301

Evidence for a protective role of pulmonary surfactant protein D (SP-D) against influenza A viruses. *K. L. Hartshorn, E. C. Crouch, M. R. White, P. Eggleton, A. I. Tauber, D. Chang, and K. Sastry* 311

A reappraisal of the role of insulin-like growth factor I in the regulation of human hematopoiesis. *M. Z. Ratajczak, W. I. Kuczynski, K. Onodera, J. Moore, J. Ratajczak, D. A. Kregenow, K. DeRiel, and A. M. Gewirtz* 320

Regulation of hormone-sensitive calcium influx by the adenylyl cyclase system in renal epithelial cells. *K. Kitamura and R. T. Miller* 328

Cytokine-induced neutrophil chemoattractant mediates neutrophil influx in immune complex glomerulonephritis in rat. *X. Wu, A. J. Wittwer, L. S. Carr, B. A. Crippes, J. E. DeLarco, and J. B. Lefkowith* 337

Autoantigen-specific T cell proliferation induced by the ribosomal P2 protein in patients with systemic lupus erythematosus. *M. K. Crow, G. DelGiudice-Asch, J. B. Zehetbauer, J. L. Lawson, N. Brot, H. Weissbach, and K. B. Elkon* 345

Selective reovirus infection of murine hepatocarcinoma cells during cell division. A model of viral liver infection. *J. Taterka, M. Sutcliffe, and D. H. Rubin* 353

Pathogenesis of periodontitis: a major arginine-specific cysteine proteinase from *Porphyromonas gingivalis* induces vascular permeability enhancement through activation of the kallikrein/kinin pathway. *T. Imamura, R. N. Pike, J. Potempa, and J. Travis* 361

Modulation of secretory leukoprotease inhibitor gene expression in human bronchial epithelial cells by phorbol ester. *M. Maruyama, J. G. Hay, K. Yoshimura, C.-S. Chu, and R. G. Crystal* 368

Trefoil peptides promote epithelial migration through a transforming growth factor β–independent pathway. *A. Dignass, K. Lynch-Devaney, H. Kindon, L. Thim, and D. K. Podolsky* 376

Interferon-α restores normal adhesion of chronic myelogenous leukemia hematopoietic progenitors to bone marrow stroma by correcting impaired β1 intergrin receptor function. *R. Bhatia, E. A. Wayner, P. B. McGlave, and C. M. Verfaillie* 384

A comparison of the antiatherogenic effects of probucol and of a structural analogue of probucol in low density lipoprotein receptor–deficient rabbits. *J. Fruebis, D. Steinberg, H. A. Dresel, and T. E. Carew* 392

Mechanism of compensatory hyperinsulinemia in normoglycemic insulin-resistant spontaneously hypertensive rats. Augmented enzymatic activity of glucokinase in β-cells. *C. Chen, H. Hosokawa, L. M. Bumbalo, and J. L. Leahy* 399

Compensatory lung growth occurs in adult dogs after right pneumonectomy. *C. C. W. Hsia, L. F. Herazo, F. Fryder-Doffey, and E. R. Weibel* 405

Rapid Publications

Taxol arrests the development of blood-stage *Plasmodium falciparum* in vitro and *Plasmodium chabaudi adami* in malaria-infected mice. *B. Pouvelle, P. J. Farley, C. A. Long, and T. F. Taraschi* 413

Isodisomy of chromosome 6 in a newborn with methylmalonic acidemia and agenesis of pancreatic beta cells causing diabetes mellitus. *M. J. Abramowicz, M. Andrien, E. Dupont, H. Dorchy, J. Parma, L. Duprez, F. D. Ledley, W. Courtens, and E. Vamos* 418

Deficient type I protein kinase A isozyme activity in systemic lupus erythematosus T lymphocytes. *G. M. Kammer, I. U. Khan, and C. J. Malemud* 422

Mapping of a quantitative trait locus for blood pressure on rat chromosome 2. *A. Y. Deng, H. Dene, and J. P. Rapp* 431

Myeloperoxidase, a catalyst for lipoprotein oxidation, is expressed in human atherosclerotic lesions. *A. Daugherty, J. L. Dunn, D. L. Rateri, and J. W. Heinecke* 437

Activation of an imprinted allele of the insulin-like growth factor II gene implicated in rhabdomyosarcoma. *S. Zhan, D. N. Shapiro, and L. J. Helman* 445

Neutralization of endogenous IL-1 receptor antagonist exacerbates and prolongs inflammation in rabbit immune colitis. *M. Ferretti, V. Casini-Raggi, T. T. Pizarro, S. P. Eisenberg, C. C. Nast, and F. Cominelli* 449

Early and specific antibody response to OspA in Lyme disease. *S. E. Schutzer, P. K. Coyle, J. J. Dunn, B. J. Luft, and M. Brunner* . . . 454

Chlamydia trachomatis from individuals in a sexually transmitted disease core group exhibit frequent sequence variation in the major outer membrane protein (omp1) gene. *R. Brunham, C. Yang, I. Maclean, J. Kimani, G. Maitha, and F. Plummer* 458

July Author Index 464

Correction 467

Contents

The Journal of Clinical Investigation
August 1994, Volume 94, Number 2

Editorials

X inactivation and immunocompetence in female carriers of the X-linked hyper-IgM syndrome. *T. J. Kipps* 469

The return of the cholinergic hypothesis. *R. J. Wurtman* 470

More evidence for a G_i-regulated Ras exchanger. *T. W. Sturgill* 471

Regular Articles

Studies of thrombin-induced proteoglycan release in the degradation of human and bovine cartilage. *E. Furmaniak-Kazmierczak, T. D. V. Cooke, R. Manuel, A. Scudamore, H. Hoogendorn, A. R. Giles, and M. Nesheim* 472

Prolonged impairment of very late activating antigen-mediated T cell proliferation via the CD3 pathway after T cell-depleted allogeneic bone marrow transplantation. *K. Sugita, Y. Nojima, K. Tachibana, R. J. Soiffer, C. Murray, S. F. Schlossman, J. Ritz, and C. Morimoto* . . 481

EWS-*erg* and EWS-Fli1 fusion transcripts in Ewing's sarcoma and primitive neuroectodermal tumors with variant translocations. *M. Giovannini, J. A. Biegel, M. Serra, J.-Y. Wang, Y. H. Wei, L. Nycum, B. S. Emanuel, and G. A. Evans* 489

Gene transfer into the rat renal glomerulus via a mesangial cell vector: site-specific delivery, in situ amplification, and sustained expression of an exogenous gene in vivo. *M. Kitamura, S. Taylor, R. Unwin, S. Burton, F. Shimizu, and L. G. Fine* 497

Genetic analysis of 29 kindreds with generalized and pituitary resistance to thyroid hormone. Identification of thirteen novel mutations in the thyroid hormone receptor β gene. *M. Adams, C. Matthews, T. N. Collingwood, Y. Tone, P. Beck-Peccoz, and K. K. Chatterjee* . . . 506

Identification of mutations in the putative ATP-binding domain of the adrenoleukodystrophy gene. *P. Fanen, S. Guidoux, C.-O. Sarde, J.-L. Mandel, M. Goossens, and P. Aubourg* 516

The *Yaa* gene abrogates the major histocompatibility complex association of murine lupus in (NZB × BXSB)F_1 hybrid mice. *R. Merino, M. Iwamoto, M. E. Gershwin, and S. Izui* 521

Large deletion of the peroxisomal acyl-CoA oxidase gene in pseudoneonatal adrenoleukodystrophy. *B. Fournier, J.-M. Saudubray, B. Benichou, S. Lyonnet, A. Munnich, H. Clevers, and B. T. Poll-The* . . 526

Molecular analysis of the human immunoglobulin VλII gene family. *M. Irigoyen, A. Manheimer-Lory, B. Gaynor, and B. Diamond* 532

Gene expression and secretion of atrial natriuretic peptide by murine macrophages. *A. M. Vollmar and R. Schulz* 539

Substitution of arginine-839 by cysteine or histidine in the androgen receptor causes different receptor phenotypes in cultured cells and coordinate degrees of clinical androgen resistance. *L. K. Beitel, P. Kazemi-Esfarjani, M. Kaufman, R. Lumbroso, A. M. DiGeorge, D. W. Killinger, M. A. Trifiro, and L. Pinsky* 546

Association of neonatal myasthenia gravis with antibodies against the fetal acetylcholine receptor. *B. Vernet-der Garabedian, M. Lacokova, B. Eyrnard, E. Morel, Michal Faltin, J. Zajac, O. Sadovsky, M. Dommergues, P. Tripon, and J.-F. Bach* 555

Expression of the murine plasma cell nucleotide pyrophosphohydrolase PC-1 is shared by human liver, bone, and cartilage cells. Regulation of PC-1 expression in osteosarcoma cells by transforming growth factor-β. *R. Huang, M. Rosenbach, R. Vaughn, D. Provvedini, N. Rebbe, S. Hickman, J. Goding, and R. Terkeltaub* 560

Anti-nucleosome antibodies complexed to nucleosomal antigens show anti-DNA reactivity and bind to rat glomerular basement membrane in vivo. *C. Kramers, M. N. Hylkema, M. C. J. van Bruggen, R. van de Lagemaat, H. B. P. M. Dijkman, K. J. M. Assmann, R. J. T. Smeenk, and J. H. M. Berden* 568

Continuous inhalation of nitric oxide protects against development of pulmonary hypertension in chronically hypoxic rats. *C. Kouyoumdjian, S. Adnot, M. Levame, S. Eddahibi, H. Bousbaa, and B. Raffestin* . . . 578

Interleukin 6 promotes murine lupus in NZB/NZW F_1 mice. *B. K. Finck, B. Chan, and D. Wofsy* 585

α-Tocopherol inhibits agonist-induced monocytic cell adhesion to cultured human endothelial cells. *R. Faruqi, C. de la Motte, and P. E. DiCorleto* 592

Abnormal expression of laminin suggests disturbance of sarcolemma–extracellular matrix interaction in Japanese patients with autosomal recessive muscular dystrophy deficient in adhalin. *I. Higuchi, H. Yamada, H. Fukunaga, H. Iwaki, R. Okubo, M. Nakagawa, M. Osame, S. L. Roberds, T. Shimizu, K. P. Campbell, and K. Matsumura* 601

Mutations of CpG dinucleotides located in the triiodothyronine (T_3)-binding domain of the thyroid hormone receptor (TR) β gene that appears to be devoid of natural mutations may not be detected because they are unlikely to produce the clinical phenotype of resistance to thyroid hormone. *Y. Hayashi, T. Sunthornthepvarakul, and S. Refetoff* 607

The random inactivation of the X chromosome carrying the defective gene responsible for X-linked hyper IgM syndrome (X-HIM) in female carriers of HIGM1. *D. Hollenbaugh, L. H. Wu, H. D. Ochs, S. Nonoyama, L. S. Grosmaire, J. A. Ledbetter, R. J. Noelle, H. Hill, and A. Aruffo* 616

Basic fibroblast growth factor improves myocardial function in chronically ischemic porcine hearts. *K. Harada, W. Grossman, M. Friedman, E. R. Edelman, P. V. Prasad, C. S. Keighley, W. J. Manning, F. W. Sellke, and M. Simons* 623

The necrotic venom of the brown recluse spider induces dysregulated endothelial cell–dependent neutrophil activation. Differential induction of GM-CSF, IL-8, and E-selectin expression. *K. D. Patel, V. Modur, G. A. Zimmerman, S. M. Prescott, and T. M. McIntyre* 631

A novel mobile element inserted in the α spectrin gene: spectrin dayton. A truncated α spectrin associated with hereditary elliptocytosis. *H. Hassoun, T. L. Coetzer, J. N. Vassiliadis, K. E. Sahr, G. J. Maalouf, S. T. O. Saad, L. Catanzariti, and J. Palek* 643

Differential effects of metalloporphyrins on messenger RNA levels of δ-aminolevulinate synthase and heme oxygenase. Studies in cultured chick embryo liver cells. *E. E. Cable, J. A. Pepe, N. C. Karamitsios, R. W. Lambrecht, and H. L. Bonkovsky* 649

Synthetic fibronectin peptides suppress arthritis in rats by interrupting leukocyte adhesion and recruitment. *S. M. Wahl, J. B. Allen, K. L. Hines, T. Imamichi, A. M. Wahl, L. T. Furcht, and J. B. McCarthy* 655

Stimulation of lung epithelial liquid clearance by endogenous release of catecholamines in septic shock in anesthetized rats. *J. F. Pittet, J. P. Wiener-Kronish, M. C. McElroy, H. G. Folkesson, and M. A. Matthay* 663

Individual and synergistic effects of rabbit granulocyte proteins on *Escherichia coli*. *O. Levy, C. E. Ooi, J. Weiss, R. I. Lehrer, and P. Elsbach* 672

Differential control of band 3 lateral and rotational mobility in intact red cells. *J. D. Corbett, P. Agre, J. Palek, and D. E. Golan* 683

Altered activity of the system A amino acid transporter in microvillous membrane vesicles from placentas of macrosomic babies born to diabetic women. *A. G. Kuruvilla, S. W. D'Souza, J. D. Glazier, D. Mahendran, M. J. Maresh, and C. P. Sibley* 689

Overexpression of the high affinity choline transporter in cortical regions affected by Alzheimer's disease. Evidence from rapid autopsy studies. *T. A. Slotkin, C. B. Nemeroff, G. Bissette, and F. J. Seidler* 696

Messenger RNA levels of XPAC and ERCC1 in ovarian cancer tissue correlate with response to platinum-based chemotherapy. *M. Dabholkar, J. Vionnet, F. Bostick-Bruton, J. J. Yu, and E. Reed* 703

An extra cysteine in one of the non–calcium-binding epidermal growth factor–like motifs of the FBN1 polypeptide is connected to a novel variant of Marfan syndrome. *C. Ståhl-Hallengren, T. Ukkonen, K. Kainulainen, U. Kristofersson, T. Saxne, K. Tornqvist, and L. Peltonen* 709

Induction of myocardial nitric oxide synthase by cardiac allograft rejection. *X. Yang, N. Chowdhury, B. Cai, J. Brett, C. Marboe, R. R. Sciacca, R. E. Michler, and P. J. Cannon* 714

Identification and upregulation of galactose/*N*-acetylgalactosamine macrophage lectin in rat cardiac allografts with arteriosclerosis. *M. E. Russell, U. Utans, A. F. Wallace, P. Liang, R. J. Arceci, M. J. Karnovsky, L. R. Wyner, Y. Yamashita, and C. Tam* 722

Alveolar type II epithelial cells produce interleukin-6 in vitro and in vivo. Regulation by alveolar macrophage secretory products. *B. Crestani, P. Cornillet, M. Dehoux, C. Rolland, M. Guenounou, and M. Aubier* . . 731

Ca^{2+} homeostasis in Brody's disease. A study in skeletal muscle and cultured muscle cells and the effects of dantrolene and verapamil. *A. A. G. M. Benders, J. H. Veerkamp, A. Oosterhof, P. J. H. Jongen, R. J. M. Bindels, L. M. E. Smit, H. F. M. Busch, and R. A. Wevers* . . . 741

Chronic exposure to tumor necrosis factor (TNF) in vitro impairs the activation of T cells through the T cell receptor/CD3 complex; reversal in vivo by anti-TNF antibodies in patients with rheumatoid arthritis. *A. P. Cope, M. Londei, N. R. Chu, S. B. A. Cohen, M. J. Elliott, F. M. Brennan, R. N. Main, and M. Feldmann* 749

Antimyenteric neuronal antibodies in scleroderma. *S. Howe, E. Y. Eaker, J. E. Sallustio, C. Peebles, E. M. Tan, and R. C. Williams, Jr.* 761

Pathophysiological concentrations of glucose promote oxidative modification of low density lipoprotein by a superoxide-dependent pathway. *M. Kawamura, J. W. Heinecke, and A. Chait* 771

Selective response of human airway epithelia to luminal but not serosal solution hypertonicity. Possible role for proximal airway epithelia as an osmolality transducer. *N. J. Willumsen, C. W. Davis, and R. C. Boucher* 779

Reconstitution of cultured intestinal epithelial monolayers with a mucosal-derived T lymphocyte cell line. Modulation of epithelial phenotype dependent on lymphocyte–basolateral membrane apposition. *P. Kaoutzani, S. P. Colgan, K. L. Cepek, P. G. Burkard, S. Carlson, C. Delp-Archer, M. B. Brenner, and J. L. Madara* 788

Influenza virus-infected dendritic cells stimulate strong proliferative and cytolytic responses from human CD8+ T cells. *N. Bhardwaj, A. Bender, N. Gonzalez, L. K. Bui, M. C. Garrett, and R. M. Steinman* 797

LAP (NF-IL6) transactivates the collagen α_1(I) gene from a 5′ regulatory region. *K. Houglum, M. Buck, V. Adir, and M. Chojkier* 808

FMLP activates Ras and Raf in human neutrophils. Potential role in activation of MAP kinase. *G. S. Worthen, N. Avdi, A. M. Buhl, N. Suzuki, and G. L. Johnson* 815

Autocrine and paracrine effects of atrial natriuretic peptide gene transfer on vascular smooth muscle and endothelial cellular growth. *R. Morishita, G. H. Gibbons, R. E. Pratt, N. Tomita, Y. Kaneda, T. Ogihara, and V. J. Dzau* 824

Bicarbonate transport along the loop of Henle. II. Effects of acid-base, dietary, and neurohumoral determinants. *G. Capasso, R. Unwin, F. Ciani, N. G. De Santo, G. De Tommaso, F. Russo, and G. Giebisch* 830

Rapid Publications

The molecular lesion in the α-*N*-acetylgalactosaminidase gene that causes angiokeratoma corporis diffusum with glycopeptiduria. *A. M. Wang, T. Kanzaki, and R. J. Desnick* 839

Repression of Fanconi anemia gene (*FACC*) expression inhibits growth of hematopoietic progenitor cells. *G. M. Segal, R. E. Magenis, M. Brown, W. Keeble, T. D. Smith, M. C. Heinrich, and G. C. Babgy, Jr.* 846

The linked roles of nitric oxide, aldose reductase and (Na^+, K^+)-ATPase in the slowing of nerve conduction in the streptozotocin diabetic rat. *M. J. Stevens, J. Dananberg, E. L. Feldman, S. A. Lattimer, M. Kamijo, T. P. Thomas, H. Shindo, A. A. F. Sima, and D. A. Greene* 853

Apolipoprotein E associates with β amyloid peptide of Alzheimer's disease to form novel monofibrils. Isoform apoE4 associates more efficiently than apoE3. *D. A. Sanan, K. H. Weisgraber, S. J. Russell, R. W. Mahley, D. Huang, A. Saunders, D. Schmechel, T. Wisniewski, B. Frangione, A. D. Roses, and W. J. Strittmatter* 860

Differential in situ cytokine gene expression in acute versus chronic atopic dermatitis. *Q. Hamid, M. Boguniewicz, and D. Y. M. Leung* 870

Genetic evidence for a common pathway mediating oxidative stress, inflammatory gene induction, and aortic fatty streak formation in mice. *F. Liao, A. Andalibi, J.-H. Qiao, H. Allayee, A. M. Fogelman, and A. J. Lusis* 877

Shear stress selectively upregulates intercellular adhesion molecule-1 expression in cultured human vascular endothelial cells. *T. Nagel, N. Resnick, W. J. Atkinson, C. F. Dewey, Jr., and M. A. Gimbrone, Jr.* 885

Exaggerated and persistent cutaneous delayed-type hypersensitivity in transgenic mice whose epidermal keratinocytes constitutively express B7-1 antigen. *A. Nasir, B. Ferbel, W. Salminen, R. K. Barth, and A. A. Gaspari* 892

Apolipoprotein AI transgene corrects apolipoprotein E deficiency–induced atherosclerosis in mice. *C. Pászty, N. Maeda, J. Verstuyft, and E. M. Rubin* 899

August Author Index 904

Correction 907

Contents

The Journal of Clinical Investigation
September 1994, Volume 94, Number 3

Presidential Address

Presidential address to the American Society for Clinical Investigation, Baltimore, Maryland, 30 April, 1994. Cross-fertilization among fields: A seminal event in the progress of biomedical research. *J. A. Berzofsky* 911

Editorials

Squat like a toad close at the ear of Eve. *C. A. Hales* 919

Significance of autoreactive T cells in diseases such as multiple sclerosis using an innovative primate model. *H. F. McFarland* 921

Perspectives

Physiological anticoagulation. Resistance to activated protein C and venous thromboembolism. *B. Dahlbäck* 923

Regular Articles

Fibrinogen mediates platelet-polymorphonuclear leukocyte cooperation during immune-complex glomerulonephritis in rats. *X. Wu, M. H. Helfrich, M. A. Horton, L. P. Feigen, and J. B. Lefkowith* . . . 928

Diet-induced atherosclerosis in mice heterozygous and homozygous for apolipoprotein E gene disruption. *S. H. Zhang, R. L. Reddick, B. Burkey, and N. Maeda* 937

Patterns of matrix metalloproteinase expression in cycling endometrium imply differential functions and regulation by steroid hormones. *W. H. Rodgers, L. M. Matrisian, L. C. Giudice, B. Dsupin, P. Cannon, C. Svitek, and F. Gorstein* 946

Anti-Fas/APO-1 antibody-mediated apoptosis of cultured human glioma cells. Induction and modulation of sensitivity by cytokines. *M. Weller, K. Frei, P. Groscurth, P. H. Krammer, Y. Yonekawa, and A. Fontana* 954

M protein and protein F act as important determinants of cell-specific tropism of *Streptococcus pyogenes* in skin tissue. *N. Okada, A. P. Pentland, P. Falk, and M. G. Caparon* 965

Evidence for direct local effect of angiotensin in vascular hypertrophy. *R. Morishita, G. H. Gibbons, K. E. Ellison, W. Lee, L. Zhang, H. Yu, Y. Kaneda, T. Ogihara, and V. J. Dzau* 978

Postcapillary venule endothelial cells in kidney express a multispecific chemokine receptor that is structurally and functionally identical to the erythroid isoform, which is the Duffy blood group antigen. *T. J. Hadley, Z.-h. Lu, K. Wasniowska, A. W. Martin, S. C. Peiper, J. Hesselgesser, and R. Horuk* 985

Modification of alternative messenger RNA splicing of fibroblast growth factor receptors in human cardiac allografts during rejection. *X.-M. Zhao, W. H. Frist, T.-K. Yeoh, and G. G. Miller* 992

Differential expression of guanosine triphosphate binding proteins in men at high and low risk for the future development of alcoholism. *G. S. Wand, C. Waltman, C. S. Martin, M. E. McCaul, M. A. Levine, and D. Wolfgang* 1004

Epithelial neutrophil activating peptide-78: a novel chemotactic cytokine for neutrophils in arthritis. *A. E. Koch, S. L. Kunkel, L. A. Harlow, D. D. Mazarakis, G. K. Haines, M. D. Burdick, R. M. Pope, A. Walz, and R. M. Strieter* 1012

Murine cytomegalovirus-associated pneumonitis in the lungs free of the virus. *K. Tanaka, Y. Koga, Y.-Y. Lu, X.-Y. Zhang, Y. Wang, G. Kimura, and K. Nomoto* 1019

Autoimmune myocarditis induced in mice by cardiac C-protein. *H. Kasahara, M. Itoh, T. Sugiyama, N. Kido, H. Hayashi, H. Saito, S. Tsukita, and N. Kato* 1026

Identification of a novel first exon in the human dystrophin gene and of a new promoter located more than 500 kb upstream of the nearest known promoter. *H. Nishio, Y. Takeshima, N. Narita, H. Yanagawa, Y. Suzuki, Y. Ishikawa, Y. Ishikawa, R. Minami, H. Nakamura, and M. Matsuo* 1037

Human red cell aquaporin CHIP. *B. L. Smith, G. M. Preston, F. A. Spring, D. J. Anstee, and P. Agre* 1043

Human red cell aquaporin CHIP. II. Expression during normal fetal development and in a novel form of congenital dyserythropoietic anemia. *P. Agre, B. L. Smith, R. Baumgarten, G. M. Preston, E. Pressman, P. Wilson, N. Illum, D. J. Anstee, M. B. Lande, and M. L. Zeidel* 1050

Molecular cloning of hamster brain and atrial natriuretic peptide cDNAs. Cardiomyopathic hamsters are useful models for brain and atrial natriuretic peptides. *N. Tamura, Y. Ogawa, H. Itoh, H. Arai, S.-i. Suga, O. Nakagawa, Y. Komatsu, I. Kishimoto, K. Takaya, T. Yoshimasa, S. Shiono, and K. Nakao* 1059

Nitric oxide and prostanoids protect the renal outer medulla from radiocontrast toxicity in the rat. *Y. Agmon, H. Peleg, Z. Greenfeld, S. Rosen, and M. Brezis* 1069

Reversal of acute myelogenous leukemia in humanized SCID mice using a novel adoptive transfer approach. *A. Cesano, S. Visonneau, L. Cioé, S. C. Clark, G. Rovera, and D. Santoli* 1076

Different frequencies of angiotensin-converting enzyme genotypes in older hypertensive individuals. *B. J. Morris, R. Y. L. Zee, and A. P. Schrader* 1085

Estrogen deficiency stimulates B lymphopoiesis in mouse bone marrow. *T. Masuzawa, C. Miyaura, Y. Onoe, K. Kusano, H. Ohta, S. Nozawa, and T. Suda* 1090

Absence of ligands bound to glycoprotein IIB-IIIA on the exposed surface of a thrombus may limit thrombus growth in flowing blood. *H. F. G. Heynen, M. L. Molero, P. G. de Groot, H. K. Nieuwenhuls, and J. J. Sixma* 1098

Internalization of type 1 complement receptors and de novo multivesicular body formation during chemoattractant-induced endocytosis in human neutrophils. *M. Berger, E. Wetzler, J. T. August, and A. M. Tartakoff* 1113

Comparison of the effects of growth hormone and insulin-like growth factor I on substrate oxidation and on insulin sensitivity in growth hormone-deficient humans. *M. A. Hussain, O. Schmitz, A. Mengel, Y. Glatz, J. S. Christiansen, J. Zapf, and E. R. Froesch* 1126

Functional profile of tissue-infiltrating and circulating $CD68^+$ cells in giant cell arteritis. Evidence for two components of the disease. *A. D. Wagner, J. J. Goronzy, and C. M. Weyand* 1134

Insulin receptor substrate-1 variants in non-insulin-dependent diabetes. *M. Laakso, M. Maikki, P. Kekäläinen, J. Kuusisto, and S. S. Deeb* . . 1141

C5a-induced expression of P-selectin in endothelial cells. *K. E. Foreman, A. A. Vaporciyan, B. K. Bonish, M. L. Jones, K. J. Johnson, M. M. Glovsky, S. M. Eddy, and P. A. Ward* 1147

Cyclic guanosine monophosphate is the mediator of platelet-activating factor inhibition on transport by the mouse kidney thick ascending limb. *F. Néant, M. Imbert-Teboul, and C. Bailly* 1156

The endogenous vascular elastase that governs development and progression of monocrotaline-induced pulmonary hypertension in rats is a novel enzyme related to the serine proteinase adipsin. *L. Zhu, D. Wigle, A. Hinek, J. Kobayashi, C. Ye, M. Zuker, H. Dodo, F. W. Keeley, and M. Rabinovitch* 1163

Insulin-mediated skeletal muscle vasodilation is nitric oxide dependent. A novel action of insulin to increase nitric oxide release. *H. O. Steinberg, G. Brechtel, A. Johnson, N. Fineberg, and A. D. Baron* 1172

Behavioral consequences of bone marrow transplantation in the treatment of murine mucopolysaccharidosis type VII. *L. B. Bastedo, M. S. Sands, D. T. Lambert, M. A. Pisa, E. Birkenmeier, and P. L. Chang* 1180

Structural basis for reduced glomerular filtration capacity in nephrotic humans. *M. C. Drumond, B. Kristal, B. D. Myers, and W. M. Deen* . . 1187

Increased glucose effectiveness in normoglycemic but insulin-resistant relatives of patients with non-insulin–dependent diabetes mellitus. A novel compensatory mechanism. *J. E. Henriksen, F. Alford, A. Handberg, A. Vaag, G. M. Ward, A. Kalfas, and H. Beck-Nielsen* . . 1196

Mutations in the promoter region of the gene for gp91-*phox* in X-linked chronic granulomatous disease with decreased expression of cytochrome b_{559}. *P. E. Newburger, D. G. Skalnik, P. J. Hopkins, E. A. Eklund, and J. T. Cumutte* 1205

Treatment of virus-induced myocardial injury with a novel immunomodulating agent, vesnarinone. Suppression of natural killer cell activity and tumor necrosis factor-α production. *S. Matsui, A. Matsumori, Y. Matoba, A. Uchida, and S. Sasayama* 1212

Biliary glutathione promotes the mucosal metabolism of luminal peroxidized lipids by rat small intestine in vivo. *T. Y. Aw* 1218

Gene expression, localization, and characterization of endothelin A and B receptors in the human adrenal cortex. *G. Rossi, G. Albertin, A. Belloni, L. Zanin, M. A. Biasolo, T. Prayer-Galetti, M. Bader, G. G. Nussdorfer, G. Palù, and A. C. Pessina* 1226

Antisense-mediated reduction in insulin-like growth factor-I receptor expression suppresses the malignant phenotype of a human alveolar rhabdomyosarcoma. *D. N. Shapiro, B. G. Jones, L. H. Shapiro, P. Dias, and P. J. Houghton* 1235

A functional integrin ligand on the surface of platelets: Intercellular adhesion molecule-2. *T. G. Diacovo, A. R. deFougerolles, D. F. Bainton, and T. A. Springer* 1243

Variable expression of familial dysbetalipoproteinemia in apolipoprotein E*2(Lys146→Gln) allele carriers. *P. de Knijff, A. M. J. M. van den Maagdenberg, D. I. Boomsma, A. F. H. Stalenhoef, A. H. M. Smelt, J. J. P. Kastelein, A. D. Marais, R. R. Frants, and L. M. Havekes* 1252

Repeated electroconvulsive shock produces long-lasting increases in messenger RNA expression of corticotropin-releasing hormone and tyrosine hydroxylase in rat brain. Therapeutic implications. *L. S. Brady, A. B. Lynn, J. R. Glowa, D. Q. Le, and M. Herkenham* 1263

Intracellular ionic consequences of dietary salt loading in essential hypertension. Relation to blood pressure and effects of calcium channel blockade. *L. M. Resnick, R. K. Gupta, B. DiFabio, M. Barbagallo, S. Mann, R. Marion, and J. H. Laragh* 1269

Enhanced basal and disorderly growth hormone secretion distinguish acromegalic from normal pulsatile growth hormone release. *M. L. Hartman, S. M. Pincus, M. L. Johnson, D. H. Matthews, L. M. Faunt, M. L. Vance, M. O. Thorner, and J. D. Veldhuis* 1277

Hyperinsulinemia is associated with altered insulin receptor mRNA splicing in muscle of the spontaneously obese diabetic rhesus monkey. *Z. Huang, N. L. Bodkin, H. K. Ortmeyer, B. C. Hansen, and A. R. Shuldiner* 1289

Acid activation of immediate early genes in renal epithelial cells. *Y. Yamaji, O. W. Moe, R. Y. Miller, and R. J. Alpern* 1297

Endotoxin and cytokines increase hepatic messenger RNA levels and serum concentrations of apolipoprotein J (clusterin) in Syrian hamsters. *I. Hardardóttir, S. T. Kunitake, A. H. Moser, W. T. Doerrier, J. H. Rapp, C. Grünfeld, and K. R. Feingold* 1304

Long-term impaired neutrophil migration in mice overexpressing human interleukin-8. *W. S. Simonet, T. M. Hughes, H. Q. Nguyen, L. D. Trebasky, D. M. Danilenko, and E. S. Medlock* 1310

Rapid Publications

Tissue factor controls the balance of angiogenic and antiangiogenic properties of tumor cells in mice. *Y. Zhang, Y. Deng, T. Luther, M. Müller, R. Ziegler, R. Waldherr, D. M. Stern, and P. P. Nawroth* . . 1320

Interleukin 1 is released by murine macrophages during apoptosis induced by *Shigella flexneri*. *A. Zychlinsky, C. Fitting, J.-M. Cavaillon, and P. J. Sansonetti* 1328

Antibody to the ligand of CD40, gp39, blocks the occurrence of the acute and chronic forms of graft-vs-host disease. *F. H. Durie, A. Aruffo, J. Ledbetter, K. M. Crassi, W. R. Green, L. D. Fast, and R. J. Noelle* 1333

In healthy primates, circulating autoreactive T Cells mediate autoimmune disease. *C. P. Genain, D. Lee-Parritz, M-H. Nguyen, L. Massacesi, N. Joshi, R. Ferrante, K. Hoffman, M. Moseley, N. L. Letvin, and S. L. Hauser* 1339

September Author Index 1346

Contents

The Journal of Clinical Investigation
October 1994, Volume 94, Number 4

Editorials

Hyper IgM syndrome: two mutations distinguish HIM. *T. M. Foy, S. R. Masters, and R. J. Noelle* 1349

Adeno-associated virus (AAV) vectors: will they work? *N. Muzyczka* . 1351

Regular Articles

Interleukin 12 exerts a differential effect on the maturation of neonatal and adult human CD45R0$^-$ CD4 T cells. *U. Shu, C. E. Demeure, D.-G. Byun, F. Podlaski, A. S. Stern, and G. Delespesse* 1352

Direct and sympathetically mediated venoconstriction in essential hypertension. Enhanced responses to endothelin-1. *W. G. Haynes, M. F. Hand, H. Johnstone, P. L. Padfield, and D. J. Webb* 1359

Induction of the autoantigen proliferating cell nuclear antigen in T lymphocytes by a mycobacterial antigen. *H. M. Haftel, Y. Chang, R. Hinderer, S. M. Hanash, and J. Holoshitz* 1365

Coexpression of glucose transporters and glucokinase in *Xenopus* oocytes indicates that both glucose transport and phosphorylation determine glucose utilization. *H. Morita, Y. Yano, K. D. Niswender, J. M. May, R. R. Whitesell, L. Wu, R. L. Printz, D. K. Granner, M. A. Magnuson, and A. C. Powers* 1373

Persistence of dormant leukemic progenitors during interferon-induced remission in chronic myelogenous leukemia. Analysis by polymerase chain reaction of individual colonies. *M. Talpaz, Z. Estrov, H. Kantarjian, S. Ku, A. Foteh, and R. Kurzrock* 1383

The pentraxins, C-reactive protein and serum amyloid P component, are cleared and catabolized by hepatocytes in vivo. *W. L. Hutchinson, G. E. Noble, P. N. Hawkins, and M. B. Pepys* 1390

Augmented agonist-induced Ca^{2+}-sensitization of coronary artery contraction in genetically hypertensive rats. Evidence for altered signal transduction in the coronary smooth muscle cells. *S. Satoh, R. Kreutz, C. Wilm, D. Ganten, and G. Pfitzer* 1397

Hyper IgM syndrome associated with defective CD40-mediated B cell activation. *M. E. Conley, M. Larché, V. R. Bonagura, A. R. Lawton III, R. H. Buckley, S. M. Fu, E. Coustan-Smith, H. G. Herrod, and D. Campana* 1404

Dietary obesity linked to genetic loci on chromosomes 9 and 15 in a polygenic mouse model. *D. B. West, J. Goudey-Lefevre, B. York, and G. E. Truett* 1410

Diesel exhaust particles induce local IgE production in vivo and alter the pattern of IgE messenger RNA isoforms. *D. Diaz-Sanchez, A. R. Dotson, H. Takenaka, and A. Saxon* 1417

Generation and characterization of two human α/β T cell clones. Recognizing autologous breast tumor cells through an HLA- and TCR/CD3-independent pathway. *P. Nisticò, P. De Berardinis, S. Morrone, T. Alonzi, C. Buono, I. Venturo, and P. G. Natali* 1426

In vivo transfer of nitric oxide between a plasma protein-bound reservoir and low molecular weight thiols. *J. S. Scharfstein, J. F. Keaney, Jr., A. Slivka, G. N. Welch, J. A. Vita, J. S. Stamler, and J. Loscalzo* . . . 1432

Phenotypic correction of Fanconi anemia in human hematopoietic cells with a recombinant adeno-associated virus vector. *C. E. Walsh, A. W. Nienhuis, R. J. Samulski, M. G. Brown, J. L. Miller, N. S. Young, and J. M. Liu* 1440

C/EBPβ regulation of the tumor necrosis factor α gene. *R. M. Pope, A. Leutz, and S. A. Ness* 1449

Involvement of the autonomic nervous system in the in vivo memory to glucose of pancreatic β cell in rats. *J.-M. N'Guyen, C. Magnan, M.-C. Laury, C. Thibault, J. Leveteau, M. Gilbert, L. Pénicaud, and A. Ktorza* 1456

The morphogenic/cytotoxic and prostaglandin-stimulating activities of interleukin-1β in the rat ovary are nitric oxide independent. *I. Ben-Shlomo, E. Y. Adashi, and D. W. Payne* 1463

Hypertrophic stimuli induce transforming growth factor-β_1 expression in rat ventricular myocytes. *N. Takahashi, A. Calderone, N. J. Izzo, Jr., T. M. Mäki, J. D. Marsh, and W. S. Colucci* 1470

A novel mutation in medium chain acyl-CoA dehydrogenase causes sudden neonatal death. *J. C. Brackett, H. F. Sims, R. D. Steiner, M. Nunge, E. M. Zimmerman, B. deMartinville, P. Rinaldo, R. Slaugh, and A. W. Strauss* 1477

Sex-specific action of insulin to acutely increase the metabolic clearance rate of dehydroepiandrosterone in humans. *J. E. Nestler and Z. Kahwash* 1484

Relationship between the coenzyme A and the carnitine pools in human skeletal muscle at rest and after exhaustive exercise under normoxic and acutely hypoxic conditions. *R. Friolet, H. Hoppeler, and S. Krähenbühl* 1490

Healthy subjects produce both anti-factor VIII and specific anti-idiotypic antibodies. *J. G. Gilles and J.-M. R. Saint-Remy* 1496

Inactivation of lysosomal proteases by oxidized low density lipoprotein is partially responsible for its poor degradation by mouse peritoneal macrophages. *G. Hoppe, J. O'Neil, and H. F. Hoff* 1506

Sodium-dependent net urea transport in rat initial inner medullary collecting ducts. *T. Isozaki, J. P. Lea, J. A. Tumlin, and J. M. Sands* 1513

Activation of heat-shock transcription factor by graded reductions in renal ATP, in vivo, in the rat. *S. K. Van Why, A. S. Mann, G. Thulin, X.-H. Zhu, M. Kashgarian, and N. J. Siegel* 1518

Adenosine-mediated inhibition of platelet aggregation by acadesine. A novel antithrombotic mechanism in vitro and in vivo. *D. A. Bullough, C. Zhang, A. Montag, K. M. Mullane, and M. A. Young* 1524

Selective activation and accumulation of oligoclonal Vβ-specific T cells in active pulmonary sarcoidosis. *J. D. Forman, J. T. Klein, R. F. Silver, M. C. Liu, B. M. Greenlee, and D. R. Moller* 1533

Reduced tyrosine kinase activity of the insulin receptor in obesity–diabetes. Central role of tumor necrosis factor-α. *G. S. Hotamisligil, A. Budavari, D. Murray, and B. M. Spiegelman* 1543

The trk family of receptors mediates nerve growth factor and neurotrophin-3 effects in melanocytes. *M. Yaar, M. S. Eller, P. DiBenedetto, W. R. Reenstra, S. Zhai, T. McQuaid, M. Archambault, and B. A. Gilchrest* 1550

Induction of β–platelet-derived growth factor receptor in rat hepatic lipocytes during cellular activation in vivo and in culture. *L. Wong, G. Yamasaki, R. J. Johnson, and S. L. Friedman* 1563

Insulin resistance and vasodilation in essential hypertension. Studies with adenosine. *A. Natali, R. Bonadonna, D. Santoro, A. Q. Galvan, S. Baldi, S. Frascerra, C. Palombo, S. Ghione, and E. Ferrannini* . . . 1570

Proteinuria in passive Heymann nephritis is associated with lipid peroxidation and formation of adducts on type IV collagen. *T. J. Neale, P. P. Ojha, M. Exner, H. Poczewski, B. Rüger, J. L. Witztum, P. Davis, and D. Kerjaschki* 1577

B lymphocyte binding to E- and P-selectins is mediated through the de novo expression of carbohydrates on in vitro and in vivo activated human B cells. *A. A. Postigo, M. Marazuela, F. Sánchez-Madrid, and M. O. de Landázuri* 1585

Diffuse calcification in human coronary arteries. Association of osteopontin with atherosclerosis. *L. A. Fitzpatrick, A. Severson, W. D. Edwards, and R. T. Ingram* 1597

A rhesus monkey model to characterize the role of gastrin-releasing peptide (GRP) in lung development. Evidence for stimulation of airway growth. *K. Li, S. R. Nagalla, and E. R. Spindel* 1605

Regulatory effects of glucose on the catalytic activity and cellular content of glucokinase in the pancreatic β cell. Study using cultured rat islets. *C. Chen, H. Hosokawa, L. M. Bumbalo, and J. L. Leahy* 1616

Reperfusion injury induces apoptosis in rabbit cardiomyocytes. *R. A. Gottlieb, K. O. Burleson, R. Kloner, B. M. Babior, and R. L. Engler* 1621

Activation and attenuation of transcription factor NF-kB in mouse glomerular mesangial cells in response to tumor necrosis factor-α, immunoglobulin G, and adenosine 3':5'-cyclic monophosphate. Evidence for involvement of reactive oxygen species. *J. Satriano and D. Schlondorff* 1629

Proteoglycan form of macrophage colony-stimulating factor binds low density lipoprotein. *S. Suzu, T. Inaba, N. Yanai, T. Kawashima, N. Yamada, T. Oka, R. Machinami, T. Ohtsuki, F. Kimura, S. Kondo, C. Torikata, N. Nagata, and K. Motoyoshi* 1637

Amino acid substitutions in the hormone-binding domain of the human androgen receptor alter the stability of the hormone receptor complex. *M. Marcelli, S. Zoppi, C. M. Wilson, J. E. Griffin, and M. J. McPhaul* 1642

Protein 4.1 deficiency associated with an altered binding to the spectrin–actin complex of the red cell membrane skeleton. *F. Lorenzo, N. Dalla Venezia, L. Morié, F. Baklouti, N. Alloisio, M.-T. Ducluzeau, L. Roda, P. Lefrançois, and J. Delaunay* 1651

Rapid Publications

Self-induced correction of the genetic defect in tyrosinemia type I. *E. A. Kvittingen, H. Rootwelt, R. Berger, and P. Brandtzaeg* 1657

Arg^{60} to Leu mutation of the human thromboxane A_2 receptor in a dominantly inherited bleeding disorder. *T. Hirata, A. Kakizuka, F. Ushikubi, I. Fuse, M Okuma, and S. Narumiya* 1662

Interleukin-2 treatment potentiates induction of oral tolerance in a murine model of autoimmunity. *L. V. Rizzo, N. E. Miller-Rivero, C.-C. Chan, B. Wiggert, R. B. Nussenblatt, and R. R. Caspi* 1668

Local action of phosphate depletion and insulin-like growth factor 1 on in vitro production of 1,25-dihydroxyvitamin D by cultured mammalian kidney cells. *L. Condamine, F. Vztovsnik, G. Friedlander, C. Menaa, and M. Garabédian* 1673

The expression and function of G-proteins in experimental intimal hyperplasia. *M. G. Davies, V. Ramkumar, T. W. Gettys, and P.-O. Hagen* 1680

Tamoxifen blocks chloride channels. A possible mechanism for cataract formation. *J. J. Zhang, T. J. C. Jacob, M. A. Valverde, S. P. Hardy, G. M. Mintenig, F. V. Sepúlveda, D. R. Gill, S. C. Hyde, A. E. O. Trezise, and C. F. Higgins* 1690

Synthetic amphipathic helical peptides that mimic apolipoprotein A-I in clearing cellular cholesterol. *A. J. Mendez, G. M. Anantharamaiah, J. P. Segrest, and J. F. Oram* 1698

October Author Index 1707

Contents

The Journal of Clinical Investigation
November 1994, Volume 94, Number 5

Editorials

Turning back the clock: Retinoic acid modifies intrinsic aging changes. *B. A. Gilchrest* 1711

The value of epitope mapping in autoimmune diseases. *D. A. Carson* 1713

Perspectives

Metabolic and genetic characterization of prediabetic states. Sequence of events leading to non–insulin-dependent diabetes mellitus. *H. Beck-Nielsen and L. C. Groop* 1714

The pathophysiologic role of α4 integrins in vivo. *R. R. Lobb and M. E. Hemler* 1722

Regular Articles

High-dose intravenous immunoglobulin exerts its beneficial effect in patients with dermatomyositis by blocking endomysial deposition of activated complement fragments. *M. Basta and M. C. Dalakas* . . . 1729

Block of AIDS-Kaposi's sarcoma (KS) cell growth, angiogenesis, and lesion formation in nude mice by antisense oligonucleotide targeting basic fibroblast growth factor. A novel strategy for the therapy of KS. *B. Ensoli, P. Markham, V. Kao, G. Barillari, V. Fiorelli, R. Gendelman, M. Raffeld, G. Zon, and R. C. Gallo* 1736

All-*trans* retinoic acid (RA) stimulates events in organ-cultured human skin that underlie repair. Adult skin from sun-protected and sun-exposed sites respond in an identical manner to RA while neonatal foreskin responds differently. *J. Varani, P. Perone, C. E. M. Griffiths, D. R. Inman, S. E. G. Fligiel, and J. J. Voorhees* 1747

De novo generation of permanent neovascularized soft tissue appendages by platelet-derived growth factor. *R. K. Khouri, S.-P. Hong, E. G. Deune, J. E. Tarpley, S.-Z. Song, C. M. Serdar, and G. F. Pierce* 1757

Keratinocyte growth factor induces proliferation of hepatocytes and epithelial cells throughout the rat gastrointestinal tract. *R. M. Housley, C. F. Morris, W. Boyle, B. Ring, R. Biltz, J. E. Tarpley, S. L. Aukerman, P. L. Devine, R. H. Whitehead, and G. F. Pierce* . . 1764

Expression and distribution of aquaporin of collecting duct are regulated by vasopressin V_2 receptor in rat kidney. *M. Hayashi, S. Sasaki, H. Tsuganezawa, T. Monkawa, W. Kitajima, K. Konishi, K. Fushimi, F. Marumo, and T. Saruta* 1778

CD10/NEP in non-small cell lung carcinomas. Relationship to cellular proliferation. *R. K. Ganju, M. Sunday, D. G. Tsarwhas, A. Card, and M. A. Shipp* 1784

Inhibition of sphincter of Oddi function by the nitric oxide carrier *S*-nitroso-*N*-acetylcysteine in rabbits and humans. *A. Slivka, R. Chuttani, D. L. Carr-Locke, L. Kobzik, D. S. Bredt, J. Loscalzo, and J. S. Stamler* 1792

Identification and induction of human keratinocyte-derived IL-12. *G. Müller, J. Saloga, T. Germann, I. Bellinghausen, M. Mohamadzadeh, J. Knop, and A. H. Enk* 1799

HIV-1 macrophage tropism is determined at multiple levels of the viral replication cycle. *R. A. M. Fouchier, M. Brouwer, N. A. Kootstra, H. G. Huisman, and H. Schuitemaker* 1806

Diminished virulence of *sar⁻/agr⁻ mutant of Staphylococcus aureus* in the rabbit model of endocarditis. *A. L. Cheung, K. J. Eberhardt, E. Chung, M. R. Yeaman, P. M. Sullam, M. Ramos, and A. S. Bayer* 1815

Age-dependent glomerular damage in the rat. Dissociation between Glomerular Injury and both Glomerular Hypertension and Hypertrophy. Male Gender as a Primary Risk Factor. *C. Baylis* . . . 1823

Clonal expansion of $CD8^+$ cytotoxic T lymphocytes against human T cell lymphotropic virus type I (HTLV-I) genome products in HTLV-I-associated myelopathy/tropical spastic paraparesis patients. *K. Furukawa, M. Mori, N. Ohta, H. Ikeda, H. Shida, K. Furukawa, and H. Shiku* 1830

Intercellular adhesion molecule-1 is upregulated on peripheral blood T lymphocyte subsets in dual asthmatic responders. *V. De Rose, G. Rolla, C. Bucca, P. Ghio, M. Bertoletti, P. Badema, and E. Pozzi* 1840

Electrical properties of the rabbit cortical collecting duct from obstructed kidneys after unilateral ureteral obstruction. Effects of Renal Decapsulation. *S. Muto and Y. Asano* 1846

A mannose receptor mediates mannosyl-rich glycoprotein-induced mitogenesis in bovine airway smooth muscle cells. *D. B. Lew, E. Songu-Mize, S. E. Pontow, P. D. Stahl, and M. C. Rattazzi* . . . 1855

Effect of gold sodium thiomalate and its thiomalate component on the in vitro expression of endothelial cell adhesion molecules. *P. M. Newman, S. S. T. To, B. G. Robinson, V. J. Hyland, and L. Schrieber* 1864

Genetic cholesteryl ester transfer protein deficiency caused by two prevalent mutations as a major determinant of increased levels of high density lipoprotein cholesterol. *A. Inazu, X.-C. Jiang, T. Haraki, K. Yagi, N. Kamon, J. Koizumi, H. Mabuchi, R. Takeda, K. Takata, Y. Moriyama, M. Doi, and A. Tall* 1872

The adventitia may be a barrier specific to nitric oxide in rabbit pulmonary artery. *R. H. Steinhorn, F. C. Morin III, and J. A. Russell* 1883

Proliferation-dependent changes in release of arachidonic acid from endothelial cells. *R. E. Whatley, K. Satoh, G. A. Zimmerman, T. M. McIntyre, and S. M. Prescott* 1889

Carbohydrate-deficient glycoprotein syndrome: not an N-linked oligosaccharide processing defect, but an abnormality in lipid-linked oligosaccharide biosynthesis? *L. D. Powell, K. Paneerselvam, R. Vij, S. Diaz, A. Manzi, N. Buist, H. Freeze, and A. Varki* 1901

Development of ischemia/reperfusion tolerance in the rat small intestine. An epithelium-independent event. *D. L. Osborne, T. Y. Aw, G. Cepinskas, and P. R. Kvietys* 1910

Clostridium difficile toxin A-induced microvascular dysfunction. Role of histamine. *I. Kurose, C. Pothoulakis, J. T. LaMont, D. C. Anderson, J. C. Paulson, M. Miyasaka, R. Wolf, and D. N. Granger* 1919

Acute intermittent porphyria: identification and expression of exonic mutations in the hydroxymethylbilane synthase gene. An Initiation Codon Missense Mutation in the Housekeeping Transcript Causes "Variant Acute Intermittent Porphyria" with Normal Expresion of the Erythroid-specific Enzyme. *C.-H. Chen, K. H. Astrin, G. Lee, K. E. Anderson, and R. J. Desnick* 1927

Atrial natriuretic factor significantly contributes to the mineralocorticoid escape phenomenon. Evidence for a guanylate cyclase–mediated pathway. *N. Yokota, B. G. Bruneau, M. L. Kuroski de Bold, and A. J. de Bold* 1938

Quantitative analysis of CD4+ T cell function in the course of human immunodeficiency virus infection. Gradual decline of both naive and memory alloreactive T cells. *L. Meyaard, S. A. Otto, B. Hooibrink, and F. Miedema* 1947

Anti–IL-4 treatment at immunization modulates cytokine expression, reduces illness, and increases cytotoxic T lymphocyte activity in mice challenged with respiratory syncytial virus. *Y.-W. Tang and B. S. Graham* 1953

Mechanism of cAMP regulation of renin gene transcription by proximal promoter. *K. Tamura, S. Umemura, S. Yamaguchi, T. Iwamoto, S.-I. Kobayashi, A. Fukamizu, K. Murakami, and M. Ishii* 1959

Role of the GRO family of chemokines in monocyte adhesion to MM-LDL–stimulated endothelium. *D. Schwartz, A. Andalibi, L. Chaverri-Almada, J. A. Berliner, T. Kirchgessner, Z.-T. Fang, P. Tekamp-Olson, A. J. Lusis, C. Gallegos, A. M. Fogelman, and M. C. Territo* 1968

Effects of relaxin on mast cells. In vitro and in vivo studies in rats and guinea pigs. *E. Masini, D. Bani, M. Bigazzi, P. F. Mannaioni, and T. Bani-Sacchi* 1974

Autoantibodies to RNA polymerase II are common in systemic lupus erythematosus and overlap syndrome. Specific recognition of the phosphorylated (IIO) form by a subset of human sera. *M. Satoh, A. K. Ajmani, T. Ogasawara, J. J. Langdon, M. Hirakata, J. Wang, and W. H. Reeves* 1981

Antioxidant: A new role for RU-486 and related compounds. *S. Parthasarathy, A. J. Morales, and A. A. Murphy* 1990

Blast cell methotrexate–polyglutamate accumulation in vivo differs by lineage, ploidy, and methotrexate dose in acute lymphoblastic leukemia. *T. W. Synold, M. V. Relling, J. M. Boyett, G. K. Rivera, J. T. Sandlund, H. Mahmoud, W. M. Crist, C.-H. Pui, and W. E. Evans* 1996

Na^+/Ca^{2+} exchange-mediated calcium entry in human lymphocytes. *M. Balasubramanyam, C. Rohowsky-Kochan, J. P. Reeves, and J. P. Gardner* 2002

Chronic biliary obstruction induces pulmonary intravascular phagocytosis and endotoxin sensitivity in rats. *S.-W. Chang and N. Ohara* 2009

Severe microcephaly induced on blockade of vasoactive intestinal peptide. Function in the primitive neuroepithelium of the mouse. *P. Gressens, J. M. Hill, B. Paindaveine, I. Gozes, M. Fridkin, and D. E. Brenneman* 2020

Airway epithelial cell expression of interleukin-6 in transgenic mice. Uncoupling of airway inflammation and bronchial hyperractivity. *B. F. DiCosmo, G. P. Geba, D. Picarella, J. A. Elias, J. A. Rankin, B. R. Stripp, J. A. Whitsett, and R. A. Flavell* 2028

Nitric oxide mediates angiogenesis in vivo and endothelial cell growth and migration in vitro promoted by substance P. *M. Ziche, L. Morbidelli, E. Masini, S. Amerini, H. J. Granger, C. A. Maggi, P. Geppetti, and F. Ledda* 2036

Increased levels of circulating islet amyloid polypeptide in patients with chronic renal failure have no effect on insulin secretion. *B. Ludvik, M. Clodi, A. Kautzky-Willer, M. Schuller, H. Graf, E. Hartter, G. Pacini, and R. Prager* 2045

Age-associated changes in β-adrenergic modulation on rat cardiac excitation–contraction coupling. *R.-P. Xiao, H. A. Spurgeon, F. O'Connor, and E. G. Lakatta* 2051

Macrophage-tropic variants initiate human immunodeficiency virus type 1 infection after sexual, parenteral, and vertical transmission. *A. B. van't Wout, N. A. Kootstra, G. A. Mulder-Kampinga, N. Albrecht-van Lent, H. J. Scherpbier, J. Veenstra, K. Boer, R. A. Coutinho, F. Miedema, and H. Schuitemaker* 2060

Dominant clonotypes in the repertoire of peripheral $CD4^+$ T cells in rheumatoid arthritis. *J. J. Goronzy, P. Bartz-Bazzanella, W. Hu, M. C. Jendro, D. R. Walser-Kuntz, and C. M. Weyand* 2068

Microvascular perfusion is impaired in a rat model of normotensive sepsis. *C. Lam, K. Tyml, C. Martin, and W. Sibbald* 2077

Molecular analysis of the helper T cell response in murine interstitial nephritis. T cells recognizing an immunodominant epitope use multiple T cell receptor Vβ genes with similarities across CDR3. *P. S. Heeger, W. E. Smoyer, T. Saad, S. Albert, C. J. Kelly, and E. G. Neilson* 2084

Inhibition of murine nephritogenic effector T cells by a clone-specific suppressor factor. *C. M. Meyers and C. J. Kelly* 2093

Mesangial cell apoptosis: The major mechanism for resolution of glomerular hypercellularity in experimental mesangial proliferative nephritis. *A. J. Baker, A. Mooney, J. Hughes, D. Lombardi, R. J. Johnson, and J. Savill* 2105

Rapid Publications

Protein C inhibitor is expressed in tubular cells of human kidney. *K.-P. Radtke, J. A. Fernández, J. S. Greengard, W. W. Tang, C. B. Wilson, D. J. Loskutoff, I. Scharrer, and J. H. Griffin* 2117

Cellular immunity to a determinant common to glutamate decarboxylase and coxsackie virus in insulin-dependent diabetes. *M. A. Atkinson, M. A. Bowman, L. Campbell, B. L. Darrow, D. L. Kaufman, and N. K. Maclaren* 2125

Bone mineral density in relation to polymorphism at the vitamin D receptor gene locus. *F. G. Hustmyer, M. Peacock, S. Hui, C. C. Johnston, and J. Christian* 2130

17β-hydroxysteroid dehydrogenase type 2: chromosomal assignment and progestin regulation of gene expression in human endometrium. *M. L. Casey, P. C. MacDonald, and S. Andersson* 2135

Recipient mononuclear cell recognition and adhesion to graft endothelium after human cardiac transplantation. Lymphocyte recognition leads to monocyte adhesion. *A. I. Fyfe, L. W. Stevenson, C. M. Harper, D. C. Drinkwater, H. Laks, A. M. Fogelman, and J. A. Berliner* 2142

Nephron supply is a major determinant of long-term renal allograft outcome in rats. *H. S. Mackenzie, S. G. Tullius, U. W. Heemann, H. Azuma, H. G. Rennke, B. M. Brenner, and N. L. Tilney* 2148

Human villous adenomas engrafted into scid mice survive for prolonged period without malignant transformation. *H. L. Bumpers, T. R. Alosco, H.-Q. Wang, N. J. Petrelli, E. L. Hoover, and R. B. Bankert* 2153

Plasma levels of andrenomedullin, a newly identified hypotensive peptide, in patients with hypertension and renal failure. *T. Ishimitsu, T. Nishikimi, Y. Saito, K. Kitamura, T. Eto, K. Kangawa, H. Matsuo, T. Omae, and H. Matsuoka* 2158

Recombinant soluble form of the human high-affinity immunoglobulin E (IgE) receptor inhibits IgE production through its specific binding to IgE-bearing B cells. *Y. Yanagihara, K. Kajiwara, K. Ikizawa, T. Koshio, K. Okumura, and C. Ra* 2162

Contents

The Journal of Clinical Investigation
December 1994, Volume 94, Number 6

Editorials

The immortalized chondrocyte: art without sacrifice. *R. A. Terkeltaub* 2173

Studies of serpins unfold at a feverish pace. *E. L. Madison* 2174

A new beginning for estrogen physiology. *J. D. Wilson* 2176

Regular Articles

Reversal of experimental autoimmune encephalomyelitis with a hydroxamate inhibitor of matrix metalloproteases. *K. Gijbels, R. E. Galardy, and L. Steinman* 2177

Increases of intracellular magnesium promote glycodeoxycholate-induced apoptosis in rat hepatocytes. *T. Patel, S. F. Bronk, and G. J. Gores* 2183

Induction of manganese superoxide dismutase in rat cardiac myocytes increases tolerance to hypoxia 24 hours after preconditioning. *N. Yamashita, M. Nishida, S. Hoshida, T. Kuzuya, M. Hori, N. Taniguchi, T. Kamada, and M. Tada* 2193

A common cold virus, rhinovirus 16, potentiates airway inflammation after segmental antigen bronchoprovocation in allergic subjects. *W. J. Calhoun, E. C. Dick, L. B. Schwartz, and W. W. Busse* 2200

Endotoxin administration to humans inhibits hepatic cytochrome P450-mediated drug metabolism. *S. I. Shedlofsky, B. C. Israel, C. J. McClain, D. B. Hill, and R. A. Blouin* 2209

Regulation of sterol carrier protein 2 (SCP_2) gene expression in rat peritoneal macrophages during foam cell formation. A key role for free cholesterol content. *A. Hirai, T. Kino, K. Tokinaga, K. Tahara, Y. Tamura, and S. Yoshida* 2215

Rapid conversion to high xanthine oxidase activity in viable Kupffer cells during hypoxia. *J. S. Wiezorek, D. H. Brown, D. E. Kupperman, and C. A. Brass* 2224

Endothelial nitric oxide synthase is expressed in cultured human bronchiolar epithelium. *P. W. Shaul, A. J. North, L. C. Wu, L. B. Wells, T. S. Brannon, K. S. Lau, T. Michel, L. R. Margraf, and R. A. Star* . . 2231

Production and characterization of transformed B-lymphocytes expressing the membrane defect of Scott syndrome. *H. Kojima, D. Newton-Nash, H. J. Weiss, J. Zhao, P. J. Sims, and T. Wiedmer* . . 2237

cAMP responsive element-mediated regulation of the gene transcription of the α1B adrenergic receptor by thyrotropin. *M. Kanasaki, H. Matsubara, S. Murasawa, H. Masaki, Y. Nio, and M. Inada* . . . 2245

Sepsis stimulates nonlysosomal, energy-dependent proteolysis and increases ubiquitin mRNA levels in rat skeletal muscle. *G. Tiao, J. M. Fagan, N. Samuels, J. H. James, K. Hudson, M. Lieberman, J. E. Fischer, and P.-O. Hasselgren* 2255

Thromboembolic disease due to thermolabile conformational changes of antithrombin Rouen-VI (187 Asn→Asp). *D. Bruce, D. J. Perry, J.-Y. Borg, R. W. Carrell, and M. R. Wardell* 2265

Changes in pulmonary vascular tone during exercise. Effects of nitric oxide (NO) synthase inhibition, L-arginine infusion, and NO inhalation. *T. Koizumi, R. Gupta, M. Banerjee, and J. H. Newman* 2275

Growth inhibition of the intestinal parasite *Giardia lamblia* by a dietary lectin is associated with arrest of the cell cycle. *E. Ortega-Barria, H. D. Ward, G. T. Keusch, and M. E. A. Pereira* 2283

Activation of potassium channels contributes to hypoxic injury in proximal tubules. *W. B. Reeves and S. V. Shah* 2289

Relation of pressor responsiveness to angiotensin II and insulin resistance in hypertension. *C. L. Gaboury, D. C. Simonson, E. W. Seely, N. K. Hollenberg, and G. H. Williams* 2295

Cationic protein–induced sensory nerve activation. Role of substance P in airway hyperresponsiveness and plasma protein extravasation. *A. J. Coyle, F. Perretti, S. Manzini, and C. G. Irvin* 2301

Interleukin-1β–modulated gene expression in immortalized human chondrocytes. *M. B. Goldring, J. R. Birkhead, L.-F. Suen, R. Yamin, S. Mizuno, J. Glowacki, J. L. Arbiser, and J. F. Apperley* 2307

Disruption by interferon-α of an autocrine interleukin-6 growth loop in IL-6–dependent U266 myeloma cells by homologous and heterlogous down-regulation of the IL-6 receptor α- and β-chains. *M. Schwabe, A. T. Brini, M. C. Bosco, F. Rubboli, M. Egawa, J. Zhao, G. L. Princler, and H.-f. Kung* 2317

The characterization of gene mutations for human glucose phosphate isomerase deficiency associated with chronic hemolytic anemia. *W. Xu and E. Beutler* 2326

The role of lecithin: cholesterol acyltransferase for lipoprotein (a) assembly. Structural integrity of low density lipoproteins is a prerequisite for Lp(a) formation in human plasma. *E. Steyrer, S. Durovic, S. Frank, W. Gießauf, A. Burger, H. Dieplinger, R. Zechner, and G. M. Kostner* 2330

Assessment of insulin action and glucose effectiveness in diabetic and nondiabetic humans. *A. A. Alzaid, S. F. Dinneen, D. J. Turk, A. Caumo, C. Cobelli, and R. A. Rizza* 2341

Impaired free fatty acid utilization by skeletal muscle in non–insulin-dependent diabetes mellitus. *D. E. Kelley and J.-A. Simoneau* 2349

Glucocorticoid activation of chromogranin A gene expression. Identification and characterization of a novel glucocorticoid response element. *D. J. Rozansky, H. Wu, K. Tang, R. J. Parmer, and D. T. O'Connor* 2357

^{13}C-Nuclear magnetic resonance spectroscopy studies of hepatic glucose metabolism in normal subjects and subjects with insulin-dependent diabetes mellitus. *G. W. Cline, D. L. Rothman, I. Magnusson, L. D. Katz, and G. I. Shulman* 2369

Variation at the hepatic lipase and apolipoprotein AI/CIII/AIV loci is a major cause of genetically determined variation in plasma HDL cholesterol levels. *J. C. Cohen, Z. Wang, S. M. Grundy, M. R. Stoesz, and R. Guerra* 2377

Discrimination between Crigler-Najjar type I and II by expression of mutant bilirubin uridine diphosphate-glucuronosyltransferase. *J. Seppen, P. J. Bosma, B. G. Goldhoorn, C. T. M. Bakker, J. R. Chowdhury, N. R. Chowdhury, P. L. M. Jansen, and R. P. J. Oude Elferink* 2385

Gadolinium inhibits mechanoelectrical transduction in rabbit carotid baroreceptors. Implication of stretch-activated channels. *G. Hajduczok, M. W. Chapleau, R. J. Ferlic, H. Z. Mao, and F. M. Abboud* 2392

Interleukin-1 receptor antagonist and tumor necrosis factor binding protein decrease osteoclast formation and bone resorption in ovariectomized mice. *R. Kitazawa, R. B. Kimble, J. L. Vannice, V. T. Kung, and R. Pacifici* 2397

Quantitation of nitrotyrosine levels in lung sections of patients and animals with acute lung injury. *I. Y. Haddad, G. Pataki, P. Hu, C. Galliani, J. S. Beckman, and S. Matalon* 2407

Experimental and/or genetically controlled alterations of the renal microsomal cytochrome P450 epoxygenase induce hypertension in rats fed a high salt diet. *K. Makita, K. Takahashi, A. Karara, H. R. Jacobson, J. R. Falck, and J. H. Capdevila* 2414

Regulated expression of foreign genes in vivo after germline transfer. *R. S. Passman and G. I. Fishman* 2421

Glucose regulation of hydroperoxide metabolism in rat intestinal cells. Stimulation of reduced nicotinamide adenine dinucleotide phosphate supply. *T. Y. Aw and C. A. Rhoads* 2426

T cell cytokine responses in persons with tuberculosis and human immunodeficiency virus infection. *M. Zhang, J. Gong, D. V. Iyer, B. E. Jones, R. L. Modlin, and P. F. Barnes* 2435

A two-step adhesion cascade for T cell/endothelial cell interactions under flow conditions. *D. A. Jones, L. V. McIntire, C. W. Smith, and L. J. Picker* 2443

Evidence for deactivation of both ectosolic and cytosolic 5'-nucleotidase by adenosine A_1 receptor activation in the rat cardiomyocytes. *M. Kitakaze, M. Hori, T. Minamino, S. Takashima, K. Komamura, K. Node, T. Kurihara, T. Morioka, H. Sato, M. Inoue, and T. Kamada* 2451

Human ApoA-II inhibits the hydrolysis of HDL triglyceride and the decrease of HDL size induced by hypertriglyceridemia and cholesteryl ester transfer protein in transgenic mice. *S. Zhong, J. J. Goldberg, C. Bruce, E. Rubin, J. L. Breslow, and A. Tall* 2457

N-Acetylcysteine inhibits muscle fatigue in humans. *M. B. Reid, D. S. Stokić, S. M. Koch, F. A. Khawli, and A. A. Leis* 2468

Estrogen levels in childhood determined by an ultrasensitive recombinant cell bioassay. *K. O. Klein, J. Baron, M. J. Colli, D. P. McDonnell, and G. B. Cutler, Jr.* 2475

Coexpression of the collagen-binding stress protein HSP47 gene and the α1(I) and α1(III) collagen genes in carbon tetrachloride-induced rat liver fibrosis. *H. Masuda, M. Fukumoto, K. Hirayoshi, and K. Nagata* . . . 2481

Interleukin-10 modulates type I collagen and matrix metalloprotease gene expression in cultured human skin fibroblasts. *S. Reitamo, A. Remitz, K. Tamai, and J. Uitto* 2489

Increased expression of matrix metalloproteinases and matrix degrading activity in vulnerable regions of human atherosclerotic plaques. *Z. S. Galis, G. K. Sukhova, M. W. Lark, and P. Libby* 2493

Rapid Publications

Cyclooxygenase-2 is associated with the macula densa of rat kidney and increases with salt restriction. *R. C. Harris, J. A. McKanna, Y. Akai, H. R. Jacobson, R. N. Dubois, and M. D. Breyer* 2504

Nitric oxide release accounts for insulin's vascular effects in humans. *U. Scherrer, D. Randin, P. Vollenweider, L. Vollenweider, and P. Nicod* 2511

Immune-deficient mice develop typical atherosclerotic fatty streaks when fed an atherogenic diet. *A. I. Fyfe, J.-H. Qiao, and A. J. Lusis* . . 2516

Identification of the same Factor V gene mutation in 47 out of 50 thrombosis-prone families with inherited resistance to activated protein C. *B. Zöller, P. J. Svensson, X. He, and B. Dahlbäck* 2521

CDR3 sequence motifs shared by oligoclonal rheumatoid arthritis synovial T cells. Evidence for an antigen-driven response. *Y. Li, G.-R. Sun, J. R. Tumang, M. K. Crow, and S. M. Friedman* 2525

December Author Index 2532

Author Index to Volume 94 2533